### Meeting Agenda – Sewer Commission Northfield Town Hall

## 69 Main Street, Northfield MA

### July 26, 2023-4:30 pm - Conference Room First Floor

Commission:	Present	Additional:	Requested
Chair – Dan Gray (DG)		Michel Turner (MT)	
Tom Walker (TW)		Tighe&Bond (T&B)	
Karen Boudreau (KB)		Sarah Kerns (SK)	
Chief - Isaac Golding (IG)			



Call to order:

Review and Approval of Minutes:

Citizen's Communication:

#### **Business:**

- Budget Review line review of predicted vs. actual spending.
- Budget Planning for 24-25. Additional operators to fulfill staffing requirements. Any other line itemsthat might need to be added, IE training. Work more closely with the Finn Comm and their schedule.
- Project Task List and Priorities to track operational status of work.
- T&B Asset Management Project update. Review of Current status and possible next steps.
- Administrative Engineering Consultative hours under consideration status update.
- Accounting Firm Consultative/Oversight hours for large projects and financial oversight.
- ArcGIS Software components. Mapping software and other components possibly available.
- Easements And Deeds Article money Status update.
- Capital projects June November. Status with Focus on water line replacement.
- Account and Collection system demographics. Publish the Account breakdown for public understanding.
- Status update on Training with NEIWPCC, (New England Interstate Water Pollution Control Commission).
- Status on Grant Developer (Mallory Sullivan) meeting on 7/20.
- Status of funding meeting with USDA and possible Admin Engineer.
- Training Attended and Upcoming Opportunities.
  - O Changing Public Perspective of Plants
  - Funding and Managing Enterprise Funds
  - O Cyber Security Summit in October.
  - O K12 Educational involvement.

# Billing:

- Commitment letter from Michelle Turner if available.
- Abatements
- Questions/Correspondence.

## Operator Report: Isaac Golding

- Status only no discussion/deliberations
- Status with discussion/deliberation- Known before the meeting. Chlorine meters.

Request for aged toxicity reports over 4 years old. Train Mark on lab testing.

Plant water levels during the deluge/rain events

Easement clearing. I&I

report.

Kidder Court

• Items not reasonably anticipated by the Chief Operator:

The plant is severely aged and under a Consent order. Regularly emergencies occur between posting of the agenda and the meeting.

Items not reasonably anticipated by the Chair/Commission: Next Meeting is:

Adjourned: